

SELECT offers Pin & Barrel Continuous Hinges for those customers who sometimes require hinges made of steel or stainless steel. SELECT Products Limited remains focused on providing you the highest quality products, superior service, and consistently shipping your orders within 48 hours. SELECT Pin & Barrel Continuous Hinges will be shipped within 48 hours ARO. Large volume orders may require longer lead times.

PIN & BARREL HINGES IN STOCK

- Lengths** 79" / 83" / 85" / 95" / 119"
 SELECT hinges are normally 1" shorter than actual opening height. Custom lengths can be ordered (see page 11).
- Hinge Duty** All SELECT brand Pin & Barrel Continuous Hinges (excluding SL3500 and Toilet Partition models) are designed for 1-3/4" doors, medium-frequency up to 400 lb. or low-frequency up to 600 lb. (4 ft. maximum door width).
- Finishes** US32D Satin finish is standard on all stainless steel hinges. Standard carbon steel hinges are zinc plated. Standard aluminum hinges have a bright dipped anodized finish. Custom finishes, including painted and polished, are available (see page 11).

STANDARD ORDERS

- Shipping** 48 hours or less ARO for standard products. Large quantities and custom processing may require additional time.
- Terms** Net 30 days.
- Freight**
 Net amounts of \$1,500 or more: Prepaid and allowed, routing of our choice. (48 contiguous states and Canada only.)
 Net amounts less than \$1,500: Freight costs are prepaid and added. (48 contiguous states and Canada only.)
- Special Shipments** Oversized shipments (greater than 95" long) will ship via FedEx 3-Day or truck only. Additional fees may apply to orders shipped outside the 48 contiguous states, special packaging and advance notification requests. Please consult with SELECT.


FIRE-RATED PIN & BARREL HINGES

- UL® Labeled Fire Rating** The following SELECT Pin & Barrel Continuous Hinges have been tested by Underwriters Laboratories, Inc. to meet the Positive pressure requirements of UBC 7.2 and are listed by Underwriters Laboratories, Inc. to U.S. and Canadian safety standards:



Models SL300, SL302, SL303, SL305, SL306, SL308, SL309, SL310, SL311, SL315, SL3500 and SL200 for use on single-mounted doors, up to 3 hours for hollow metal doors, 1-1/2 hours for hollow metal and composite core wood fire doors, and 20 minutes for wood doors.

DUST-FREE (MEDICAL) BEARINGS



- Dust-Free (Medical)** flanged double bearings are standard on all SELECT Pin & Barrel continuous hinges except Toilet Partition hinges.
- Prevent metal-to-metal contact for longer hinge life
- Eliminate dust for "clean room" applications.

PART NUMBER INTERCHANGE - PIN & BARREL HINGES

SELECT	MARKAR	HAGER	PEMKO	MCKINNEY	STANLEY	ABH	IVES
SL300	FM-300	790-900	SPBFM	MCK FM300	651	A500	700
SL302	FS-302		SPBFS	MCK FS302	657	A502	702
SL303	HS-303	790-903	SPBHS	MCK HS303		A503	
SL305	HG-305	790-905	SPBFMDEG	MCK HG305	652	A505	705
SL306	HG-306	790-906		MCK HG306	655	A506	
SL308	EG-308		SDEG		EG2/2B	A528F	
SL309	FS/SC-309	790-909	SPBFSSC	MCK FS309			
SL310	HG-310			MCK HG310			
SL311	HG-311			MCK HG311	656	A511	711
SL315	HG-315		SPBFMEG				
SL3500	FM-3500		SPBFMHD				
SL402	FS-402-TP						
SL200	FM-200			FM3700	641		600
SL902	FM-200			FM3700	641		600

ELECTRICAL MODIFICATIONS

No discounts apply to net add items.
 Specify prep locations from top of hinge.
 See SELECT catalog for specific prep locations.
 Handing required for all electrical modifications.
 Hinges prepared with electrical modifications are non-returnable.

- **Current Transfer Prep [CTP]** Hinge leaf cutout for EPT. Standard location is centerline. Provide location for all non-standard locations. Handing required.
AR-CTP (Adams-Rite) \$53 net add per CTP
VD-CTP (Von Duprin) \$53 net add per CTP
- **Concealed Current Transfer [EL]** 28 gauge wires.
EL-4 (4-wire) \$175 net add per EL
EL-8 (8-wire) \$200 net add per EL
EL-12 (12-wire) Contact SELECT for quote
- **Electric Power Transfer [EPT]** Hinges can be purchased with Adams-Rite power transfer units. Please specify the dimension from the top of the hinge to the centerline of the EPT cutout. Hinge installed flush with the top of the door. CTP and handing required. CTP price included.
AR-EPT-4612-1 \$250 net add per EPT
AR-EPT-4612-2 \$265 net add per EPT
- **Adjustable Concealed Monitor Switch [AMS]**
 Rigid welded assembly allows monitoring switch adjustments for all applications.
AMS Contact SELECT for quote
- **Electrical Transfer Access Prep [ETAP]** Access panel in both hinge leaves allows access to electrical wiring without removing door or hinge.
ETAP \$90 net add per ETAP

PIN & BARREL FASTENERS

All SELECT Pin & Barrel Continuous Hinges and edge guards are shipped with a corresponding screw pack unless requested otherwise. The Adjusta-Screw™, shown below, is an optional fastener on models SL305, SL308 and SL310.

Optional Fasteners

- **Adjusta-Screw™ [AS]** \$30 net add per hinge



Designed to correct frame fit variances up to 3/8".
 Right-hand thread

- **Security Fasteners [SF]** Contact SELECT for quote
 Tamper-resistant spanner head and Torx® head fasteners are available to replace standard fasteners for added entryway security.

NOTE: Lead times may vary depending on the number of hinges to be custom prepared. Large volume orders extend lead times. Please contact SELECT for verification of the lead time required. Changes or cancellations on custom processed orders are subject to charges for work already performed and materials utilized.

CUSTOM PROCESSING


No discounts apply to net add items.
 Handing required for all custom processing.
 Hinges prepared with custom processing are non-returnable.

- **Dutch Door [DD]** \$41 net add per hinge
 Frame leaf is furnished as a continuous length. Door leaf is cut to fit the specified Dutch Door height. Required: Handing and measurements for net hinge length, top door leaf length, bottom door leaf length and clearance (3/16" min.) between top and bottom leaves.
- **Hospital Tip [HT]** \$38 net add per hinge
 Hinges can be prepared with slanted tips for hospitals and correctional facility applications. Handing required. Available only on SL300, SL305, SL315 and SL200.
- **Wide Throw [WT]** Contact SELECT for quote
 Specify leaf width from pin centerline when ordering. Engineering drawing required.
- **Automatic Door Bottom Cut [ADBC]** \$38 net add per ADBC
- **Raised Barrel [RB]** \$35 net add per hinge
 Swaged door leaf for Concealed and Half Surface hinges allows door to open 180°. Handing required.
- **Security Studs** Stainless steel studs are mounted to frame leaf, door leaf is drilled to accommodate studs. 3 studs are required for hinge lengths up to 85", 4 studs are required for hinges longer than 85". Handing required. Door and frame must be specially prepared to accommodate security studs.
[SECSTUD3] \$63 net add per hinge
[SECSTUD4] \$80 net add per hinge
- **Sheared Leaf [SHFL]** \$47 net add per hinge
 Used for narrower door thicknesses, unevenly rabbeted frames or other special applications. Specify leaf width from pin centerline when ordering.
- **Custom Hole Pattern [CHP]** \$72 net add per hinge
 Hole shapes or patterns other than standard must be indicated with dimensioned diagrams when ordering.
- **Blank Hinge [B]** \$45 net add per hinge
 Holes are omitted for welded installations.
- **LL Cover [LLCVR]** \$300 net add per cover
 Lead-lined cover for applications requiring radiation containment. Available only on surface-mounted hinges.
- **LL Astragal [LLAST]** \$100 net add each
 Lead-lined astragal for SL308 edge guard.
- **Cutting Charge [CUTCHG]** \$33 net add per cut
- **Paint, Powder Coat [PAINTPC]** Contact SELECT for quote
 Scratch-resistant, 7 standard colors. Lead time 4 weeks min.
- **Paint, Kynar [PAINTKY]** Contact SELECT for quote
 Available only on aluminum hinges. Lead time 4 weeks min.
- **Edge Guard Preps [EG]** \$27 net add per prep
 SL308 edge guard can be prepared for: 161 latch bolt; 86 mortise lock; ASA strike; 161 strike; manual flush bolts; auto flush bolts.

CONCEALED

SL300


- Concealed hinge
- Stainless steel
- 1/8" door inset



Model #	79" / 83"	85"	95"	119"
SL300	420.00	476.00	485.00	682.00

SL305


- Concealed hinge
- Stainless steel
- Door guard
- Universal Adjusta-Screw™ fasteners (right-hand thread) available at extra cost (see page 11)



Model #	79" / 83"	85" / 95"	119"
SL305	544.00	625.00	915.00

SL315


- Concealed hinge
- Stainless steel
- Edge guard



Model #	79" / 83"	85" / 95"	119"
SL315	509.00	577.00	845.00

SL200


- Concealed hinge
- Zinc plated carbon steel
- 1/8" door inset



Model #	79" / 83"	85" / 95"
SL200	275.00	340.00

SL3500

- Concealed hinge
- Extra heavy-duty 12 gauge stainless steel
- Meets ASTM F-1450A Abuse Test requirements
- Hospital Tip standard
- Torx® head security fasteners available at extra cost (see page 11)
- For 1-3/4" to 2" doors up to 4 ft. wide and weighing up to 900 lb.
- 1/8" door inset



Model #	83"	95"
SL3500	650.00	775.00


BHMA CERTIFIED – Cycle Requirements per BHMA Standard ANSI / BHMA A156.26 2000

SELECT Pin & Barrel Continuous Hinges SL300, SL302, SL303, SL305, SL306, SL309, SL310, SL311, SL315 and SL3500 are BHMA CERTIFIED to conform to BHMA Standard ANSI/BHMA A156.26 2000 Grade 1.

FULL SURFACE

SL302


- Full surface hinge
- Stainless steel
- Center pivot
- Tamper-resistant leaf covers
- Flush mounted



Model #	79" / 83"	85" / 95"	119"
SL302	530.00	642.00	905.00

SL309

- Full surface hinge
- Stainless steel
- Swing-clear action
- Tamper-resistant door leaf cover
- 1/8" door inset




Model #	79" / 83"	85" / 95"	119"
SL309	590.00	680.00	850.00

HALF SURFACE • HALF MORTISE

SL303


- Half surface hinge
- Stainless steel
- Tamper-resistant door leaf cover
- 1/8" door inset



Model #	79" / 83"	85" / 95"	119"
SL303	482.00	565.00	725.00

SL306

- Half mortise hinge
- Stainless steel
- Tamper-resistant frame leaf cover
- Edge guard




Model #	79" / 83"	85" / 95"	119"
SL306	490.00	588.00	745.00

SWING CLEAR

SL310


- Swing-clear action
- Stainless steel
- Door guard
- Universal Adjusta-Screw™ fasteners (right-hand thread) available at extra cost (see page 11)



Model #	79" / 83"	85" / 95"	119"
SL310	765.00	865.00	1,025.00

SL311

- Swing-clear action
- Stainless steel
- Edge guard




Model #	79" / 83"	85" / 95"	119"
SL311	613.00	630.00	945.00

TOILET PARTITION HINGES

SL402TP PIN & BARREL

- Full surface toilet partition hinge
- Bright dip anodized aluminum
- Spring-loaded; adjustable
- Tamper-resistant Torx® head end caps
- For doors weighing up to 80 lb.; consult factory for doors wider than 36"




Model #	54"	57"
SL402TP	452.00	470.00

Options

- Safety-Lift feature *net add \$20*
- One-Way Shoulder Bolt *net add \$25*

SL902TP PIN & BARREL

- Full surface toilet partition hinge
- Stainless steel
- Spring-loaded; adjustable
- Tamper-resistant Torx® head end caps
- For doors weighing up to 80 lb.; consult factory for doors wider than 36"




Model #	54"	57"
SL902TP	505.00	\$525.00

EDGE GUARD

SL308

- Edge guard
- Stainless steel
- Lock-side door edge protector
- Can reduce gap between pairs of doors
- Universal Adjusta-Screw™ fasteners (right-hand thread) available at extra cost (see page 11)
- Specify square or beveled door edge



Model #	79" / 83"	85" / 95"	119"
SL308	240.00	275.00	355.00

PIN & BARREL HINGE WARRANTY

SELECT brand Pin & Barrel Continuous Hinges are guaranteed to be free of defects in material and workmanship for a period of 25 years. No claims for faulty or improper installation, consequent damages, repairs or backcharges will be allowed. This warranty does not cover defects or damage resulting from vandalism, abuse, improper maintenance, improper storage, shipping or handling, alteration or removal of the factory applied lubricant, anodizing or painting of product in the field.

- SELECT Products Limited will assume no liability for Geared or Pin & Barrel Continuous Hinges cut or altered in the field if factory specified cutting instructions are not followed.
- SELECT Products Limited makes no other warranty or guarantee, either expressed or implied.

ELECTRICAL COMPONENTS WARRANTY

All electrical modification components on SELECT Geared Continuous Hinges have a 5-year warranty. Electrical modification components on Pin & Barrel Continuous Hinges have a 5-year warranty.

PAYMENT TERMS

Terms are net 30 days from the date of invoice, following credit approval. No C.O.D. orders will be accepted. Interest of 1.5% per month will accrue on any charges unpaid after 30 days from the date of invoice. Shipment will be held on subsequent open orders on accounts unpaid after 45 days from date of invoice until payment is received in full. Once payment of all outstanding 45-day+ invoices is received in full by SELECT, the order will be placed into production (if custom) and/or shipped (if stock items). Accounts unpaid after 90 days will automatically be subject to CIA terms on subsequent open orders.

Applicable Federal, State or local taxes are not included in the prices quoted. Should any license fee, property, sales, use or excise tax be levied or assessed by the Federal, State or local law upon any goods which are the subject matter of the price list, they shall constitute an extra and shall be paid by the buyer. If a surety bond is required in connection with a contract to furnish these goods, the premium shall be added to the contract.

CANCELLATIONS

Changes or cancellations on custom orders, including Fire-Rated products, will be subject to charges for work already completed and materials utilized.

PARTIAL SHIPMENTS

Partial shipments may be made on open orders to expedite delivery. Partial or multiple drop shipment requests subsequent to originally quoted and/or acknowledged orders may be subject to re-pricing and re-assessed for freight charges. Partial shipments will be invoiced at the time of shipment and will be payable individually, including freight if applicable, under the terms stated above.

RETURN OF GOODS

SELECT Products Limited's restocking fee is 35%. **Only stock hinges without modifications are eligible for return.** Hinges with custom colors, special lengths, cutouts, electrical preps or other custom processing cannot be returned.